



BANDKNIVES AND BANDSAW BLADES


INNOVATIVE SOLUTIONS FOR SPECIALISTS

FRIEDRICH
BICKENBACH
GMBH & CO KG




Bandknives

for all machine types




range of application	textiles
width	6 – 30 mm
thickness	0.45 mm
bevel	single, double or 4-sided



range of application	hard textiles, paper, plastic material, foam
width	10 – 25 mm
thickness	0.45 mm
tooth	double bevel, concave and convex



range of application	plastic
width	10 – 25 mm
thickness	0.45 mm
tooth	toothed 6 x 6 or 3 x 3 mm, double bevel



range of application	for cutting the most wide ranging types of rubber, foam
width	10 – 25 mm
thickness	0.45 mm
type of tooth	rooftop, double or 4-sided bevel
tooth	1.5 – 3 mm

bevel:



single




double



4-sided

Hardened cutting edge on request!




Carbide Metal Bandsaw Blades

Carbide tipped and carbide grit edge for all machine types

range of application	porenbeton (Ytong, Hebel and so on)
----------------------	--

width	/	thickness	/	tooth
12.7 mm	x	0.63 mm		3+4 Tpl
20.0 mm	x	0.80 mm		3+4 Tpl
27.0 mm	x	0.90 mm		3 Tpl
25.0 mm	x	0.90 mm		continuous or interrupted cutting edge



Bandsaw Blades

for all machine types



styrofoam or similar material	range of application
10 – 30 mm	width
0.4 – 0.8 mm	thickness
rooftop	type of tooth
2 – 6 mm	tooth

soft metal, hard wood, very hard plastics	range of application
10 – 30 mm	width
0.4 – 0.8 mm	thickness
A	type of tooth
2 – 6 mm	tooth

wood, cork, pvc and so on	range of application
10 – 40 mm	width
0.4 – 0.8 mm	thickness
A or B	type of tooth
A 3 – 15 mm / B 6 – 15 mm	tooth

especially for cutting curves, wood, chip board and so on	range of application
6 – 15 mm	width
0.4 – 0.7 mm	thickness
A	type of tooth
3 – 7 mm	tooth

special bandsaw blades for carpentry works	range of application
6 – 16 mm	width
0.65 mm	thickness
B	type of tooth
4 oder 6 Tpl	tooth
hardened teeth	execution

bandsaw blades for mobile saw mills	range of application
32 mm	width
1.05 mm	thickness
Hook	type of tooth
19, 22 oder 25 mm	tooth
hardened teeth	execution

metal + bi-metal bandsaw blades	range of application
4 – 54 mm	width
0.65 – 1.3 mm	thickness
various teeth + executions	type of tooth



wood bandsaw blades: qualities / type of teeth

Uddeholm Swedish Steel, Rapido Flex,
German Special Steel



A



B



Rooftop

Other sizes and specifications on request!

At this occasion we want to pull your attention to the production range of our sister company Richard Schmidt Söhne in the same building.

The company Richard Schmidt Söhne even assures you a production of high quality, profile grinded meat- and fish bandsaw blades, slicers (for machines as Groote, Kaufler and so on). Bandknives for the bread industry and circular-, vertical- and cutterknives for the textile industry are also part of our product range.

Friedrich Bickenbach GmbH & Co KG

Richardstraße 10

42857 Remscheid (Germany)

Postfach 14 01 29

42822 Remscheid (Germany)

Tel.: +49 (0) 21 91 / 8 04 24

Fax: +49 (0) 21 91 / 8 31 08

info@bs-germany.de

www.bs-germany.de